

BIBLIOGRAPHY

- Almada F., Almada V. C., Guillemaud T., Wirtz P., 2005 a, Phylogenetic relationships of the north-eastern Atlantic and Mediterranean blenniids, *Biological Journal of the Linnean Society*, 86: 283-295
- Almada F., Almada V. C., Domingues V., Brito A., Santos R. S., 2005 b, Molecular validation of the specific status of *Parablennius sanguinolentus* and *Parablennius parvicornis* (Pisces: Blenniidae), *Scientia Marina*, 69: 519-523
- Al-Sabti K., 1986 a, Comparative micronucleated erythrocyte cell induction in three cyprinids by five cancerogenic-mutagenic chemicals, *Cytobios*, 47(190-191): 147-154
- Al-Sabti K., 1986 b, Clastogenic effects of five carcinogenic-mutagenic chemicals on the cells of the common carp, *Cyprinus carpio* L., Comparative biochemistry and physiology, Part C, Pharmacology, Toxicology and Endocrinology, 85(1): 5-9
- Al-Sabti K., 1992 a, Monitoring the genotoxicity of radiocontaminants in Swedish lakes by fish micronuclei, *Cytobios*, 70(281): 101-106
- Al-Sabti K., 1992 b, Micronuclei induction in pike (*Esox lucius*) in Swedish lakes contaminated with radiocaesium, *Cytobios*, 70(280): 27-32
- Al-Sabti K., 1994, Micronuclei induced by selenium, mercury, methylmercury and their mixtures in binucleated blocked fish erythrocyte cells, *Mutation Research*, 320(1-2): 157-163
- Al-Sabti K., 1995 a, An in vitro binucleated blocked hepatic cell technique for genotoxicity testing in fish, *Mutation Research*, 335(2): 109-120
- Al-Sabti K., 1995 b, Detection of triploidy in fish using the cytokinesis-blocked method for erythrocyte and hepatic cells, *Cytobios*, 82(330): 181-187
- Al-Sabti K., Harding J., 1990, Micronucleus test in fish for monitoring the genotoxic effects of industrial waste products in the Baltic Sea, Sweden, Comparative biochemistry and physiology, Part C, Pharmacology, Toxicology and Endocrinology, 97(1): 179-182
- Al-Sabti K., Metcalfe C. D., 1995, Fish micronuclei for assessing genotoxicity in water, *Mutation Research*, 343: 121-135
- Al-Sabti K., Franko M., Andrijanic B., Knez S., Stegnar P., 1994, Chromium-induced micronuclei in fish, *Journal of applied toxicology*, 14(5): 333-336
- Ayllon F., Garcia-Vazquez E., 2000, Induction of micronuclei and other nuclear abnormalities in European minnow *Phoxinus phoxinus* and mollie *Poecilia latipinna*: an assessment of the fish micronucleus test, *Mutation Research*, 467: 177-186
- Baird C., Cann M., 2006, Chimica ambientale, Zanichelli
- Bath H., 1977, Revision der Blenniini (Pisces: Blenniidae), *Senckenbergiana biologica*, 57(1976): 167-234
- Bath H., 1996, Beitrag zur Osteologie der Arten der Tribus Parablenniini Die Beziehungen der Knochen des Schädeldaches zum Seitenorgan-System und zu den Weichteilbildungen der Kopfoberseite sowie die systematische Bedeutung der Befunde nebst Bemerkungen zu *Lupinolennius dispar* (Herre, 1942) (Pisces: Blenniidae), *Senckenbergiana biologica*, 73: 65-92
- Berg L. S., 1958, System der rezenten und fossilen Fischartigen und Fische, Berlin, p. 310
- Bock M., Zander C. D., 1986, Osteological characters as tool for blenniid taxonomy – a generic revision of European Blenniidae (Percomorphi; Pisces), *Sonderdruck aus Z. f. zool. Systematik u. Evolutionforschung Band 24, Heft 2*, S. 138-143
- Bognione C., Costa C., Giganti M., Cecchetti M., Di Pato P., Scardi M., Cataudella S., 2006, Biological monitoring of wild thicklip grey mullet (*Chelon labrosus*), golden grey mullet (*Liza aurata*), thinlip mullet (*Liza ramada*) and flathead mullet (*Mugil cephalus*) (Pisces: Mugilidae) from different Adriatic sites: meristic counts and skeletal anomalies, *Ecological Indicators*, 6: 712-731
- Bombail V., Aw D., Gordon A. N. D., Batty J., 2001, Application of Comet and micronucleus assay to butterfish (*Pholis gunnellus*) erythrocytes from the Firth of Forth, Scotland, *Chemosphere*, 44: 383-392
- Bonassi S., Fenech M., Lando C., Lin Y. P., Ceppi M., Chang W. P., Holland N., Kirsch-Volders M., et al., 2001, HUMAN MicroNucleus project: international database comparison for results with the cytokinesis-block micronucleus assay in human lymphocytes I: Effect of laboratory protocol, scoring criteria, and host factors on the frequency of micronuclei, *Environmental Molecular Mutagenesis*, 37: 31-45
- Brunetti R., Fumagalli O., Valerio P., Gabriele M., 1992, Genotoxic effects of anoxia on *Mytilus galloprovincialis*, *Marine Ecology Progress Serie*, 83: 71-74
- Burgeot T., His E., Galgani F., 1995, The micronucleus assay in *Crassostrea gigas* for the detection of seawater genotoxicity, *Mutation Research*, 342: 125-140
- Burgeot T., Bocquenè G., Porte C., Dimeet J., Santella R. M., Garcia de la Parra L. M., Pffhol-Leszkowicz A., Raoux C., Galgani F., 1996 a, Bioindicators of pollutant exposure in the northwestern Mediterranean Sea, *Marine Ecology Progress Series*, 131(1-3): 125-141

- Burgeot T., Woll S., Galgani F., 1996 b, Evaluation of the micronucleus test on *Mytilus galloprovincialis* for monitoring applications along French coasts, *Marine Pollution Bulletin*, 32(1): 39-46
- Carrasco K. R., Tilbury K. L., Myers M. S., 1990, An assessment of the piscine micronuclei test as an in situ biological indicator of chemical contaminant effects, *Canadian Journal Fish Aquatic Science*, 47: 2123-2136
- Cavas T., Gözükar S. E., 2003 a, Evaluation of the genotoxic potential of lambda-cyhalothrin using nuclear and nucleolar biomarkers on fish cells, *Mutation Research*, 534: 93-99
- Cavas T., Gözükar S. E., 2003 b, Micronuclei, nuclear lesions and interphase silver-stained nucleolar organizer regions (AgNORs) as cytogenotoxicity indicators in *Oreochromis niloticus* exposed to textile mill effluent, *Mutation Research*, 538: 81-91
- Catena C., Conti D., Parasacchi P., Marengo P., Bortolato B., Botturi M., Leoni M., Portaluri M., Paleani-Vettori P. G., Righi E., 1996, Micronuclei in cytokinesis-blocked lymphocytes may predict patient response to radiotherapy, *International Journal Radiation Biology*, 70: 301-308
- Catena C., Parasacchi P., Conti D., Sgura A., Trenta G., Righi E., Trinci M. M., Trinci M., 1997, Peripheral blood lymphocyte decrease and micronucleus yields during radiotherapy, *International Journal Radiation Biology*, 72: 575-585
- Conti D., Balzamo S., Belli M., 2005, Valutazione della genotossicità di inquinanti in ambienti acquatici: messa a punto di metodi per l'esecuzione del test del micronucleo in eritrociti di specie ittiche, *Manuali e Linee Guida 32/2005*, APAT
- Crebelli R., Carta P., Andreoli C., Aru G., Dobrowolny G., Rossi S., Zijno A., 2002, Biomonitoring of primary aluminium industry workers: detection of micronuclei and repairable DNA lesions by alkaline SCGE, *Mutation Research*, 516: 63-70
- De Boeck M., Lombaert N., De Backer S., Finsy R., Lison D., Kirsch-Volders M., 2003, In vitro genotoxic effects of different combinations of cobalt and metallic carbide particles, *Mutagenesis*, 18: 177-186
- DeGrassi F., Tanzarella C., 1988, Immunofluorescent staining of kinetochores in micronuclei: a new assay for the detection of aneuploidy, *Mutation Research*, 203(5): 339-345
- Doherty A. T., Ellard S., Parry E. M., Parry J. M., 1996, An investigation into the activation and deactivation of chlorinated hydrocarbons to genotoxins in metabolically competent human cells, *Mutagenesis*, 11(3): 247-274
- Elliott M., Griffith A. H., Taylor C. J. L., 1988, The role of fish studies in estuarine pollution assessment, *Journal of Fish Biology*, 33: 51-61
- Ekman S., 1953, Zoogeography of the sea, *Sidgwick & Jackson Ltd.*, London, p. 417
- Fenech M., Morley A. A., 1985, Measurement of micronuclei in lymphocytes, *Mutation Research*, 147: 29-36
- Fenech M., Rinaldi J., Surreales J., 1994, The origin of micronuclei induced by cytosine arabinoside and its synergistic interaction with hydroxyurea in human lymphocytes, *Mutagenesis*, 9(3): 273-277
- Fenech M., 1997, The advantages and disadvantages of the cytokinesis-block micronucleus method, *Mutation Research*, 392: 11-18
- Fenech M., Perepetskaya G., Mikhalevic L., 1997, A more comprehensive application of the micronucleus technique for biomonitoring of genetic damage rates in human populations. Experiences from the Chernobyl catastrophe, *Environmental and Molecular Mutagenesis*, 30: 112-118
- Fenech M., 1998, Important variables that influence base-line micronucleus frequency in cytokinesis-blocked lymphocytes – a biomarker for DNA damage in human populations, *Mutation Research*, 404: 155-165
- Fenech M., Chang W. P., Kirsch-Volders M., Holland N., Bonassi S., Zeiger E., 2003, HUMN project: detailed description of the scoring criteria for the cytokinesis-block micronucleus assay using isolated human lymphocyte cultures, *Mutation Research*, 534: 65-75
- Ferrito V., Tigano C., 2004, Analysis of the neurocranium in the genus *Salaria* (Teleostei, Blenniidae), *Estonian Mar. Inst. Report Series*, 12: 119
- Ferrito V., Mauceri A., Minniti F., Isaja M., Maisano M., Tigano C., 2007, Comparative morphological studies of the neurocranium and the gills of two species of blennies living in different habitats, *Acta histochemica*, 109: 428-436
- Ferrito V., Copat C., Pulvirenti V., Marino A., Fruciano C., Pappalardo A. M., Sciacca S., Tigano C., 2008, Approccio multimarker in due specie di Teleostei bioindicatori: *Coris julis* (Linneo, 1758) e *Parablennius sanguinolentus* (Pallas, 1814), 69° Congresso Nazionale dell'Unione Zoologica Italiana, 22-25 settembre 2008, Senigallia (AN)
- Fossi M. C., 1998, Biomarker: strumenti diagnostici e prognostici di “salute” ambientale, In: Vighi and Bacci (Eds), *Ecotossicologia*. UTET, Torino, pp. 60-73
- Frenzilli G., Scarcelli V., Del Barga I., Nigro M., Forlin L., Bolognesi C., Sturve J., 2004, DNA damage in eelpout (*Zoarces viviparus*) from Goteborg harbour, *Mutation Research*, 552: 187-195
- Heddle J. A., Cimino M. C., Hayashi M., Romagna F., Shelby M. D., Tucker J. D., Vanparys P., MacGregor J. T., 1991, Micronuclei as an index of cytogenetic damage: past, present, and future, *Environmental and Molecular Mutagenesis*, 18: 277-291
- Hocutt C. H., 1981, Fish as indicators of biological integrity, *Fisheries*, 6: 28-31
- Hsu K. J., Ryan W. B. F., Cita M. B., 1973, Late Miocene desiccation of the Mediterranean, *Nature*, 242: 240-244

- Jacobsson A., Neuman E., Thoresson G., 1986, The viviparous blenny as an indicator of environmental effects of harmful substances, *Ambio*, vol. 15, No. 4
- Kosswig C., 1967, Tethys and its relation to the peri-mediterranean faunas of fresh-water fishes, *Syst. Assoc. Publ.*, 7: 313-24
- La Mesa et al., 2004
- Lawrence A. J., Hemingway K. L., 2003, Effect of pollution on fish – Molecular effects and population responses, Blackwell Publishing
- Lison D., De Boeck M., Verougstraete V., Kirsch-Volders M., 2001, Update on the genotoxicity and carcinogenicity of cobalt compounds, *Occupational Environmental Medicine*, 58: 619-625
- Lyons B. P., Bignell J., Stentiford G. D., Feist S. W., 2004, The viviparus blenny (*Zoarces viviparus*) as a bioindicator of contaminant exposure: application of biomarkers of apoptosis and DNA damage, *Marine Environmental Research*, 58: 757-761
- Marlasca M. J., Sanpera C., Riva M. C., Sala R., Crespo S., 1998, Hepatic alterations and induction of micronuclei in rainbow trout (*Oncorhynchus mykiss*) exposed to a textile industry effluent, *Histology and Histopathology*, 13(3): 703-712
- Mars P., 1963, Les faunes et la stratigraphie du Quaternaire méditerranéen, *Rec. Trav. Sta. Mar. Endoume*, 26: 61-97
- Nieder J., La Mesa G., Vacchi M., 2000, Blenniidae along the Italian coasts of the Ligurian and the Tyrrhenian sea: community structure and new records of *Scartella cristata* for Northern Italy, *Cybium*, 24(4): 359-369
- Noaksson E., Tjarnlund U., Ericson G., Balk L., 1998, Biological effects of viviparus blenny exposed to Chrysene and held in synthetic as well as in natural brackish water, *Marine Environmental Research*, Vol. 46, No. 1-5, 81-85
- Pacheco M., Santos M. A., 1996, Induction of micronuclei and nuclear abnormalities in the erythrocytes of *Anguilla anguilla* L. exposed either to cyclophosphamide or to Bleached Kraft Pulp Mill Effluent, *Fresenius Environmental Bulletin*, 5(11-12): 746-751
- Pacheco M., Santos M. A., 2002, Biotransformation, genotoxic and histopathological effects of environmental contaminants in European eel (*Anguilla anguilla* L.), *Ecotoxicology and Environmental Safety*, 53: 331-343
- Puogh F. H., Heiser J. B., MaFarland W. N., 1993, Biologia evolutiva e comparata dei Vertebrati, Ambrosiana
- Rao S. S., Neheli T., Metcalfe C. D., 1997, Hepatic micronucleus assay for the assessment of genotoxic responses in fish, *Environmental Toxicology And Water Quality Journal*, 11: 167-170
- Ruggieri G., 1967, The Miocene and later evolution of the Mediterranean Sea, *Syst. Assoc. Publ.*, 7: 283-290
- Russo C., Rocco L., Morescalchi M. A., Stingo V., 2004, Assessment of environmental stress by the micronucleus test and the Comet assay on the genome of teleost populations from two natural environments, *Ecotoxicology and Environmental Safety*, 57: 168-174
- Sasse H., 1972, Untersuchungen zur Morphologie und Zoogeographie verschiedener Populationen des *Blennius fluviatilis* (Asso, 1974) im Mittelmeerraum (Pisces, Perciformes, Blennioidei), Unpublished
- Schlatod J. D., Backhaus F., Ostapczuk P., Emons H., 1997, Eel-pout (*Zoarces viviparus*) as a marine bioindicator, *Chemosphere*, Vol. 34, Nos 9/10, 2133-2142
- Shibamoto Y., Streffer C., Fuhrmann C., Budach V., 1991, Tumor radiosensitivity prediction by the cytokines-Block micronucleus assay, *Radiation Research*, 128: 293-300
- Silbiger R. N., Leonard A. C., Dimsoski P., Forè S., Guttman S. I., Roth A. C., Gordon D. A., Wessendarp T., Toth G. P., Smith M. K., 2001, Use of molecular markers to study the effects of environmental impact on genetic diversity in brown bullhead (*Ameiurus nebulosus*) populations, *Environ. Toxicol. Chem.*, 20: 2580-2587
- Thoday J. M., 1951, The effect of ionizing radiations on the broad bean root. Part IX Chromosome breakage and the lethality of ionising radiations to the root meristem, *British Journal Radiology*, 24: 572-576
- Tigano C., Tomasello B., Pulvirenti V., Sciacca S., Ferrito V., Carpinteri G., Copat C., Renis M., 2006, Danno al DNA di *Parablennius sanguinolentus* (Pallas, 1814) (Teleostei, Blennioidei) della costa jonica siciliana, 67° Congresso UZI, Napoli Settembre 2006, Riassunti p. 52
- Tigano C., Tomasello B., Pulvirenti V., Ferrito V., Copat C., Carpinteri G., Mollica E., Sciacca S., Renis M., 2009, Assessment of environmental stress in *Parablennius sanguinolentus* (Pallas, 1814) of the Sicilian Ionian Coast, *Ecotoxicology and Environmental Safety*, 72: 1278-1286
- Touil N., Aka P. V., Buchet J. P., Thierens H., Kirsch-Volders M., 2002, Assessment of genotoxic effects related to chronic low level exposure to ionising radiation using bio-markers for DNA damage and repair, *Mutagenesis*, 17: 223-232
- Tortonese E., 1970, Fauna d'Italia, Osteichthyes, Bologna: Calderini
- Tortonese E., 1975, Osteichthyes (Pesci Ossei), Parte Seconda
- Tucker J. D., Preston R. J., 1996, Chromosome aberration, micronuclei, aneuploidy, sister chromatid exchanges, and cancer risk assessment, *Mutation Research*, 365: 147-159
- Springer V. G., 1993, Definition of the suborder Blennioidei and its included families (Pisces: Perciformes), *Bulletin of marine science*, 52(1): 472-495

- Van Ngan P., Vicente Gomes, Maria José A. C. R. Passos, Keyi A. Ussami, Dèbora Y. F. Campos, Arthur José da Silva Rocha, Bruna A. Pereira, 2007, Biomonitoring of the genotoxic potential (micronucleus and erythrocyte nuclear abnormalities assay) of the Admiralty Bay water surrounding the Brazilian Antarctic Research Station “Comandante Ferraz”, King George Island, *Polar Biology*, 30: 209-217
- Venier P., Maron S., Canova S., 1997, Detection of micronuclei in gill cells and hemocytes of mussels exposed to benzo(a)pyrene, *Mutation Research*, 390: 33-44
- Von Westrenhagen H., Dethlefsen V., Haarich M., 2001, Can a Pollution event be detected using a single Biological Effects Monitoring Method?, *Marine Pollution Bulletin*, Vol. 42, No. 4, pp. 294-297
- Vral A., Verhaegen F., Thierens H., De Ridder L., 1994, The in vitro cytokinesis-block micronucleus assay: a detailed description of an improved slide preparation technique for the automated detection of micronuclei in human lymphocytes, *Mutagenesis*, 9(5): 439-44
- Whitehead P. J. P., Bauchot M. L., Hureau J. C., Nielsen J., Tortonese E., 1986, Fishes of the North-eastern Atlantic and the Mediterranean, Vol. III, Unesco
- Withfield A. K., Elliott M., 2002, Fishes as indicators of environmental and ecological changes within estuaries: a review of progress and some suggestions for the future, *Journal of Fish Biology*, 61: 229-250
- Zander C. D., 1972 a, Evolution of Blennioidei in the Mediterranean Sea, *Rev. Trav. Inst. Pêches marit.*, 37(2): 215-221
- Zander C. D., 1972 b, Zur Verbreitungsgeschichte der Gattung *Blennius* (Blennioidei, Pisces), *Mitt. Hamburg. Zool. Mus. Inst.*, 68: 213-230
- Zander C. D., 1979, Morphologische und ökologische Untersuchung der Schleimfische *Parablennius sanguinolentus* (Pallas, 1811) und *P. Parvicornis* (Valenciennes, 1836) (Perciformes, Blenniidae), *Mitt. Hamburg. Zool. Mus. Inst.*, 76: 469-474
- Zander C. D., 1980, Zoogeography and speciation of Mediterranean blennioids (Perciformes, Pisces), *Journées Etud. Systèm. Et Biogèogr. Médit.*, Cagliari, C.I.E.S.M.
- Zander C. D., 1981, Fishes of the Northeastern Atlantic and Mediterranean. Blenniidae, Unesco (in press)
- Zander C. D., Heymer A., 1970, *Tripterygion tripteronotus* (Risso, 1810) und *Tripterygion xanthosoma* n. sp. eine ökologische Speziation (Pisces, Teleostei), *Vie et Milieu*, 21 A: 363-394
- Zander C. D., Heymer A., 1976, Morphologische und ökologische Untersuchungen an den speleophilen Schleimfischartigen *Tripterygion melanurus* (Guichenot, 1850) und *T. Minor* (Kolombatovic, 1892) (Perciformes, Blennioidei, Tripterygiidae), *Z. zool. Syst. Evolut. -forsch.*, 14: 41-59
- Zander C. D., 2004, Ecology meets genetics – niche occupation as a factor of evolution interpreted by Kosswig’s concepts, *Mitt. Hamb. Zool. Mus. Inst.*, 101: 131-47
- Zhang Q., Wolters W. R., Tiersch T. R., 1998, Replication banding and sister-chromatid exchange of chromosomes of channel catfish (*Ictalurus punctatus*), *Journal of Heredity*, 89(4): 348-353.